

ARCHITECTURAL AUTHENTICITY,
UNPARALLELED PERFORMANCE





A-SERIES WINDOWS & PATIO DOORS

Designed in conjunction with leading architects to provide authentic architectural style, A-Series windows and patio doors offer all of the options you need to easily create the look you've been dreaming of. Beyond delivering the style you want, A-Series products are the best performing, most energy-efficient windows and patio doors Andersen offers for true peace of mind.

It has never been so easy to dream, easy to understand your options and easy to select the products that fit not just your home, but also your vision. And like all Andersen products, they are supported by over 115 years of commitment to quality and service that can only come from one of the most trusted names in the industry. For more information, visit andersenwindows.com/a-series.



- Flat casing with cornice head, color: White
- Frame exterior color: Black
- Sash exterior color: Black

ARCHITECTURAL STYLE MADE EASY


The Andersen Home Style Library is an industry-leading, innovative approach based on the style of home you want to create rather than a type of window or door. The result is a series of windows and doors carefully designed with authentic architectural style in mind. Visit andersenwindows.com/stylelibrary to learn more.



A-SERIES WINDOWS


DOUBLE-HUNG WINDOWS

Double-hung windows have two operating sash (glass panels) that move up and down allowing for ventilation on the top, bottom or both. With a tilt-in feature for easy cleaning, these windows are ideal around patios, decks and walkways.




CASEMENT & AWNING WINDOWS

Casement windows are hinged on the side and crank open outward to the left or right allowing for full top to bottom ventilation. Awning windows are hinged on the top and open outward from the bottom, allowing for ventilation and protection from the rain. Both styles can be grouped in stunning combinations for a better view.




SPECIALTY WINDOWS

Specialty windows are stationary (non-opening) windows characterized by their special shapes, including curves and dramatic angles. They can make a signature statement in your home or provide a delicate lighting accent.



VENTING & STATIONARY TRANSOM WINDOWS

Transom windows can be used in window combinations or placed above doors to let in light and fresh air while adding style and curb appeal. Available as a venting window that is hinged at the top and opens outward or as a stationary (non-operating) window.



BUILT FOR YEARS TO COME*

A-Series windows and doors are built strong to last long. We use the right materials in the right places, including solid wood, fiberglass and our own Fibrex® composite material. These give A-Series products superior strength, stability and long-term beauty.

NEVER NEEDS PAINTING

Exteriors won't flake, rot, blister, peel, pit or corrode, so they're virtually maintenance free. Plus, they hold their original vibrant colors.*

RIGOROUSLY TESTED

A-Series products have been exposed to extremes, going from temperatures duplicating the cold of Alaska winters to the heat of Death Valley summers, three times a day, day after day. They came through it all beautifully.

KEEPS THE WEATHER OUT

With their weather-resistant seals, A-Series windows and doors can stand up to eight inches of rain per hour and hurricane-force winds.** Double-hung windows feature a dual-bulb seal, and casement windows use "refrigerator" style gaskets to help keep air and water out.

QUALITY SO SOLID, THE WARRANTY IS TRANSFERABLE*


Most other window and door warranties end when a home is sold, but our coverage — 20 years on glass, 10 years on non-glass parts — transfers from each owner to the next. And because it is not prorated, the coverage offers full benefits, year after year, owner after owner. So it adds real value when you decide to sell your home.

OWNER2OWNER
LIMITED WARRANTY

*Visit andersenwindows.com/warranty for details.


**Andersen® A-Series double-hung window tested to AAMA/WDMA/CSA 101/1.S.2 A440-08 & -11 PG50.

A-SERIES FRENCHWOOD® PATIO DOORS




FRENCHWOOD GLIDING PATIO DOORS

Gliding patio doors have at least one door panel that glides horizontally past another door panel. They fit into tighter spaces than hinged doors because their panels don't interfere with your room or patio.



FRENCHWOOD HINGED PATIO DOORS

Inswing patio doors open into the interior of your home, saving room for smaller exterior areas such as balconies or patios. Outswing patio doors open outward, giving you more space inside your home. Both doors feature traditional French styling that goes well with any home style.



FRENCHWOOD TRANSOMS & SIDELIGHTS

Transoms go above a door while sidelights flank one or both sides of the door. Alone or combined, they can turn your doorway into a focal point while letting more natural light into your home's entryway.



CUSTOM SIZES All windows and patio doors are available in custom sizes.



OPTIONS TO FIT ANY HOME

A-Series windows and doors provide you with a wide palette of exterior colors, wood species and interior finishes to help you bring your personality and taste to your home.

EXTERIOR COLORS



Select any combination of colors, shown here, for your exterior frame, sash and trim.

INTERIOR WOOD SPECIES



Design your window at
andersenwindows.com/design-tool

FACTORY-FINISHED INTERIORS



Shown on pine. Available on pine, maple and oak only.

INTERIOR PAINTED OPTIONS



Available on pine. Additional colors to match all 11 exterior colors are also available, contact your Andersen supplier.

EXTERIOR TRIM

Exterior trim adds a finishing touch to your windows and is often essential in achieving authentic architectural style. To see more trim options and to design your window, visit andersenwindows.com/design-tool.



2" brick mould, shown in canvas 3 1/2" or 4 1/2" flat casing, shown in Sandtone 3 1/2" or 4 1/2" flat casing with extended sill nose, shown in prairie grass

*Actual wood species is either Sapele or Sipo, both non-endangered species grown in Africa, with color and characteristics similar to Central American mahoganies. Interiors are unfinished unless a stain or paint option is specified. Naturally occurring variations in grain, color and texture of wood make each window one of a kind. Printing limitations prevent exact replication of colors and finishes. Please see your Andersen supplier for actual color and finish samples.



DETAILS THAT MAKE AN IMPACT

A-Series hardware* options make sure you have the style needed to enhance or complement the overall design of your home.

STANDARD



Lock & Keeper

Double-Hung



Hand Lift

TRADITIONAL



Bar Lift



Finger Lift

Antique Brass | Black | Bright Brass | Brushed Chrome | Distressed Bronze
 Distressed Nickel | Gold Dust | Oil Rubbed Bronze | Polished Chrome
Satin Nickel | Stone | White

Casement & Awning

TRADITIONAL FOLDING



Antique Brass | Black | Bright Brass | Brushed Chrome | Distressed Bronze
 Distressed Nickel | Gold Dust | Oil Rubbed Bronze | Polished Chrome
 Satin Nickel | Stone | White

CONTEMPORARY FOLDING



Black | Bright Brass | Gold Dust | Oil Rubbed Bronze
 Satin Nickel | Stone | White

Bold name denotes finish shown.

HARDWARE FINISHES



*Hardware sold separately, except double-hung lock and keeper.
 Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use.
 Printing limitations prevent exact finish replication. See your Andersen supplier for actual finish samples.

DESIGNS TO MATCH ANY STYLE

A-Series patio door hardware* is available in a variety of different designs to match virtually any style. Additional hardware options such as exterior keyed locks, matching hinge finishes and more are also available.



Bold name denotes finish shown.

HARDWARE FINISHES



*Hardware sold separately.

Tribeca and Albany hardware are zinc die cast with powder-coated durable finish. Other hardware is solid forged brass. Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use. Bright brass and satin nickel finishes on patio door hardware feature a 10-year limited warranty. Matching hinges available in most finishes for inswing patio doors. Printing limitations prevent exact finish replication. See your Andersen supplier for actual finish samples.



FSB® HINGED PATIO DOOR HARDWARE

Durable FSB hinged door hardware* features clean lines and a sleek finish for a thoroughly modern look.



YALE® ASSURE LOCK®

Monitor, lock and unlock from anywhere with the Yale Assure Lock.† This slim, sleek keyless lock is designed exclusively for Andersen® hinged patio doors† and integrates with a wide range of smart home platforms.



*Hardware sold separately.

**FSB style 1102 is not available in black anodized aluminum.

†Available on select hinged doors, see your Andersen supplier for details.

All marks where denoted are trademarks of their respective owners. Yale manufactures and supports the limited warranty for Yale Assure Lock for Andersen patio doors. Printing limitations prevent exact finish replication. See your Andersen supplier for actual finish samples.

ARCHITECTURALLY AUTHENTIC GRILLES

Andersen® A-Series windows and patio doors offer a variety of grille types and grille patterns, making it easy to fit both your style and your home's. For a signature look, we'll also work with you to create custom grille designs.



Specified Equal Light



Specified Equal Light



Specified Equal Light




Custom


To see all the standard patterns available for a specific window or door, see your Andersen supplier.




Permanent exterior
Permanent interior
with spacer



Permanent exterior
Permanent interior



Permanent exterior
Removable interior



Removable interior



Finelight™
Grilles-
Between-
the-Glass™

FULL DIVIDED LIGHT

Permanently applied to the interior and exterior of your window with a spacer between the glass.


SIMULATED DIVIDED LIGHT

Permanent grilles on the exterior and interior with no spacer between the glass. We also offer permanent exterior grilles with removable interior grilles.

CONVENIENT CLEANING OPTIONS

Removable interior grilles come off for easy cleaning. Finelight grilles-between-the-glass are installed between the glass panes and feature a contoured 3/4" or 1" profile.

Grille Bar Widths



Cross section of grilles showing standard widths and profiles.

Our 2 1/4" wide grille can be positioned horizontally across the center of a casement window to simulate the look of a double-hung window.

SCREEN OUT THE INSECTS, NOT THE VIEW

Choose our TruScene® insect screen for a beautifully unobstructed view with A-Series windows. TruScene insect screens provide more than 50% greater clarity than conventional Andersen insect screens and let in 25% more fresh air,** all while keeping out unwanted small insects.

Conventional aluminum insect screens are also available for A-Series windows. A-Series patio doors are available with conventional fiberglass insect screens.



*7/8", 1 1/8" and 2 1/4" not available in Finelight grilles-between-the-glass.

**TruScene insect screens let in over 25% more fresh air than standard Andersen fiberglass insect screens.



BEST-IN-CLASS GLASS

Andersen offers one of the industry's widest array of glass options, so you're sure to find the right choice for your climate and your home. Choose from these High-Performance glass options.

GLASS	ENERGY		LIGHT	
	U-Factor How well a product prevents heat from escaping.	Solar Heat Gain Coefficient How well a product blocks heat caused by sunlight.	Visible Light Transmittance How much visible light comes through a product.	UV Protection How well a product blocks ultraviolet rays.
SmartSun™ Thermal control similar to tinted glass, with visible light transmittance similar to Low-E glass.	● ● ● ○	● ● ● ●	● ● ● ○	● ● ● ●
SmartSun with HeatLock® Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factor values.	● ● ● ●	● ● ● ●	● ● ○ ○	● ● ● ●
Low-E4® Outstanding overall performance for climates where both heating and cooling costs are a concern.	● ● ● ○	● ● ● ○	● ● ● ○	● ● ● ○
Low-E4® with HeatLock Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factor values.	● ● ● ●	● ● ● ○	● ● ● ○	● ● ● ○
Sun Outstanding thermal control in southern climates where less solar heat gain is desired.	● ● ● ○	● ● ● ●	● ○ ○ ○	● ● ● ○
PassiveSun® Ideal for northern, passive solar construction applications where solar heat gain is desired.	● ● ● ○	● ○ ○ ○	● ● ● ○	● ● ● ○
Triple-Pane with Low-E coatings on two surfaces Three panes of glass combine with either argon gas blend air or Low-E coatings to provide enhanced energy performance.	● ● ● ●	● ● ● ○	● ● ● ○	● ● ● ●
Clear Dual-Pane High visibility with basic thermal performance.	● ○ ○ ○	○ ○ ○ ○	● ● ● ●	○ ○ ○ ○

Center of glass performance only. Ratings based on glass options as of May 2021. Visit andersenwindows.com/energystar for ENERGY STAR® map and NFRC total unit performance data.

HEATLOCK® TECHNOLOGY

Our HeatLock coating can increase the energy efficiency of any A-Series window or patio door with Low-E4 or SmartSun glass. Applied to the room-side glass surface, it reflects heat back into the home for improved performance.

TRIPLE-PANE GLASS

A-Series products are offered with Triple-Pane glass, our most energy efficient glass to help keep more heat in and cold air out, meaning inside temperature is less affected by temperatures outdoors.

For more details on glass options, visit andersenwindows.com/glass.

ADDITIONAL GLASS OPTIONS


Tempered safety glass, standard on patio doors.

Laminated glass for added strength, enhanced security and sound control.

Patterned glass lets in light while obscuring vision and adds a unique, decorative touch.



Cascade Fern Obscure



Reed Satin Etch

Cascade and Reed patterns can be ordered with either a vertical or horizontal orientation.

GLASS SPACER OPTIONS

Choose from stainless steel, black or white glass spacers to create a customized look. Add full divided light grilles and the grille spacer bar between the glass will match the selected glass spacer color.



Black White Stainless Steel

STORMWATCH® PROTECTION

Most Andersen A-Series windows are available with impact-resistant glass and structural upgrades to meet the tough building codes of hurricane-prone coastal areas. See your local code official for specific requirements.




BLINDS-BETWEEN-THE-GLASS

Blinds-between-the-glass offer privacy and convenience and are available on select Frenchwood® gliding and hinged patio doors.




BETWEEN-THE-GLASS ART GLASS


Available on most A-Series products, these finely crafted inserts are between the glass, which places the decorative panel between the glass panes, providing superior protection for the art glass and making it easy to keep clean. Available in our Historic and Classic series to complement any home's architecture. Visit andersenwindows.com/artglass to see all available patterns and contact your Andersen supplier for availability.



Lotus



Regency



Victoria





THE ENVIRONMENT HAS A BUSINESS PARTNER

Respect for the environment is nothing new at Andersen. For more than a century, it's been part of who we are. Our commitment to recycle and reclaim materials began simply because it was good business. Now it's part of our broader commitment to sustainability and responsible stewardship of all our resources. Andersen is committed to providing you with long-lasting, energy-efficient windows and doors. Visit andersenwindows.com/sustainability for more information.



Andersen makes windows and doors with options that make them ENERGY STAR® v. 6.0 certified throughout the U.S.



Andersen is a charter member of the **U.S. Green Building Council** and a strong supporter of its LEED® (Leadership in Energy and Environmental Design) National Green Building Standard rating system.



*Visit andersenwindows.com/warranty for details.
All trademarks where denoted are marks of their respective owners.
©2021 Andersen Corporation. All rights reserved. 07/21 Part #9066670